Supreme Court, U.S.
FILED
MAR 5 1992
OFFICE OF THE CLERK

No. 91-1290

In The

Supreme Court of the United States

October Term, 1991

HENRY SCHWARZER,

Petitioner,

vs.

DOUGLAS COUNTY, NEVADA, a
Political Subdivision of the State of Nevada,

Respondent.

Petition For Writ Of Certiorari To The Supreme Court Of The State Of Nevada And To The Ninth Judicial District Court Of The State Of Nevada In And For The County Of Douglas

BRIEF IN OPPOSITION

Scott W. Doyle
District Attorney
Douglas County, Nevada
Post Office Box 218
Minden, Nevada 89423
(702) 782-9803

Counsel of Record for Respondent

COCKLE LAW BRIEF PRINTING CO., (800) 225-6964
OR CALL COLLECT (402) 342-2831

QUESTIONS PRESENTED

I.

Whether Petitioner failed to present with accuracy, brevity, and clarity the points requiring consideration by this Court so as to violate Supreme Court Rule 14.5 and make the granting of certiorari inappropriate.

II.

Whether the District Court had jurisdiction under Nevada Rule of Civil Procedure 15(b) to order Petitioner to pay reimbursement for court ordered obligation which Petitioner had been twice held in contempt for not performing where (i) Petitioner had forced these obligations onto his neighbor, then (ii) insisted on trying this issue of reimbursement before the District Court thereby expressly or implicitly amending the pleading to include this issue.

III.

Whether this granting of certiorari is appropriate to reconsider a decision of a District Judge where Petitioner claims actual bias of the District Judge when (i) Petitioner's attorney's unethical and defamatory conduct eight months after entry of the order at issue created the alleged bias, (ii) the District Judge voluntarily disqualified himself "to avoid the appearance of unfair treatment of the [Petitioner] as a result of [his] attorney's actions," and (iii) the order at issue is consistent with orders of two other district judges in this case, against neither of whom Petitioner claims bias.

TABLE OF CONTENTS

Page

QUESTIONS PRESENTED i

STATEMENT OF THE CASE 1

SUMMARY OF ARGUMENT 11

ARGUMENT 12

I. The petition fails to present the points which petitioner wishes the court to consider with the accuracy, brevity, and clarity the rules of this court require 12

II. This case presents no issues worthy of review by this court on writ of certiorari 13

A. The monetary award to Mr. Tomerlin is appropriate and lawful 14

B. Petitioner received a fair and unbiased trial from Judge Gamble 16

CONCLUSION 18

APPENDIX ..... App. 1

TABLE OF AUTHORITIES

Page

United States Supreme Court Rule 10 13

United States Supreme Court Rule 14.5 ..... 11, 12, 13

United States Supreme Court Rule 10.1(a) through (c) 13, 14

Nevada Rules of Civil Procedures Rule 11 11

Nevada Rules of Civil Procedures Rule 15(b) 12, 15

No. 91-1290

In The

Supreme Court of the United States

October Term, 1991

HENRY SCHWARZER,

Petitioner,

vs.

DOUGLAS COUNTY, NEVADA, a Political Subdivision of the State of Nevada,

Respondent.

Petition For Writ Of Certiorari To The Supreme Court Of The State Of Nevada And To The Ninth Judicial District Court Of The State Of Nevada In And For The County Of Douglas

BRIEF IN OPPOSITION

Respondent respectfully submits this brief in opposition to the petition for Writ of Certiorari that Petitioner filed on February 3, 1992.

STATEMENT OF THE CASE

On April 7, 1977, Petitioner Henry Schwarzer sought a special use permit from Respondent Douglas County to construct an industrial building (the "Schwarzer Building") at the corner of Airport and Heyborne Roads in

Douglas County, Nevada. The Douglas County Board of Adjustments granted Petitioner the special use permit on the express condition of "[i]nstallation of a sprinkler system to be approved by Douglas County Fire Chief and ISO." (*See*, Appendix, p. 1.) Petitioner constructed the Schwarzer Building in phases without installing the fire sprinkling system. Respondent refused to issue a certificate of occupancy for the Schwarzer Building until Petitioner installed the fire sprinkler system. On February 3, 1983, Petitioner requested that Respondent eliminate from the special use permit the requirement of the fire sprinkler system for the Schwarzer Building. The Douglas County Board of County Commissioners declined, because of the distance of the Schwarzer Building from the fire department, the volunteer nature of the fire department, and the size and proposed use of the Schwarzer Building. (*See*, Appendix, p. 3.) Nonetheless, Petitioner refused to install the fire sprinkler system in the Schwarzer Building.

On December 9, 1983, Respondent filed this action in the Ninth Judicial District Court of the State of Nevada to enforce the terms of the special use permit. (*See*, Appendix, p. 10.) On November 14, 1984, visiting Judge Recanzone conducted a preliminary injunction hearing to determine whether or not occupancy of the Schwarzer Building should be restrained "until an approved sprinkler system [was] installed and a Certificate of Occupancy for the building was issued." (*See*, Appendix, p. 16.) Visiting Judge Recanzone held that Petitioner must install the fire sprinkler system, but allowed Petitioner additional time to complete that installation. Petitioner

refused to install the fire sprinkler system. Instead, Petitioner attempted to terminate visiting Judge Recanzone's Preliminary Injunction.

Judge Berkson refused to terminate the Preliminary Injunction, but did grant Petitioner additional time within which to install the fire sprinkler system. Petitioner refused to install the fire sprinkler system. Consequently, on July 9, 1985, Judge Berkson found Petitioner in contempt of court. On July 11, 1985, Judge Berkson issued an Order and Notice of Warrant of Commitment against Petitioner. (*See*, Appendix, p. 21.) Rather than comply with the orders of visiting Judge Recanzone and Judge Berkson, Petitioner conveyed the Schwarzer Building to his wife, Esther Schwarzer, as her sole and separate property to avoid all court orders. On November 7, 1985, Judge Berkson ordered that Esther Schwarzer be made a part of this case, ordered that Petitioner continue to be bound by all orders in this case, and ordered that a trial on the merits be held on November 22, 1985. (*See*, Appendix, p. 24.)

On November 22, 1985, Judge Berkson conducted a trial on the merits. Judge Berkson found that the special use permit required that Petitioner install a fire sprinkler system in the Schwarzer Building. Judge Berkson also found that:

(i) "The building is a single structure, 13,120 square feet in size, and is divided into five separate units."

(ii) "It is an industrial building housing a machine shop and other commercial enterprises."

> (iii) "A special use permit was granted concerning this property by Douglas County on April 7, 1977, which special use permit required the installation of a sprinkler system."
>
> (iv) "There is a danger of loss of life and property due to occupancy of the defendant's system. The danger results from the type of use of the building, the size of the building, insufficient fire flow demand, protracted response time of fire department personnel due to the distance from the fire station, additional delay for travel by volunteer firemen to the fire station, and the fact that travel time may be increased by inclement weather condition."

(*See*, Appendix, p. 26.) Judge Berkson then ordered the matter continued to allow both parties to obtain and return with detailed information on how Petitioner was to install the fire sprinkler system.

On April 7, 1986, Judge Berkson entered a Permanent Mandatory Injunction, which found and ordered as follows:

> Schwarzers stated a desire to personally contract with a private contractor to install an extension to the Douglas County Water System in accordance with the Douglas County Airport Water System, Schwarzer (sic) Extension 1986 Plan, prepared by the County, attached hereto as an attachment A and incorporated herein or as amended and approved in writing by County. (Hereinafter referred to as Schwarzer Extension Plan.) Schwarzers further stated that they have obtained a licensed sprinkler contractor to prepare the plans for and to install the automatic

fire sprinkler system within the Schwarzer building.

Accordingly,

IT IS HEREBY ORDERED that Henry and Esther Schwarzer *at their own expense,* immediately contract with a licensed contractor for installation of an extension of the Douglas County Airport Water System to the Schwarzer building. The installation must be in accordance with the Schwarzer Extension Plan. (Attachment A, incorporated herein.) Further, the Schwarzers must obtain the inspection and approval of the extension by the Douglas County Public Works Department.

IT IS FURTHER ORDERED that Schwarzers immediately, *at their own expense,* complete the contract with the licensed sprinkler contractor obtained to install the sprinkler system. This system must be designed and installed in compliance with the National Fire Protection Association Pamphlet 13. Further, Schwarzers must obtain approval of the plan for the sprinkler system by the State Fire Marshall and the East Fork Fire Protection District Fire Marshall and approval of the installation of the system by the East Fork Fire Protection District Fire Marshall and Douglas County Public Works.

IT IS FURTHER ORDERED that prior to June 30, 1986, Schwarzers complete and obtain:

(1) extension of the Douglas County Airport Water System to the Schwarzer building;

(2) installation of the sprinkler system within the Schwarzer building;

(3) hook up of the systems in a functional manner; and

(4) approval of the completed system by the East Fork Fire District Fire Marshall and Douglas County Public Works.

(*See*, Appendix, p. 31.; emphasis added.)

After several status hearings, Petitioner had still failed to comply with any court order in this case. Consequently, on December 23, 1986, Judge Berkson held Petitioner "in contempt of court for violating this Court's Judgment and Order of December 13, 1985, Permanent Mandatory Injunction of April 7, 1986, and Order of August 18, 1986." (*See*, Appendix, p. 35.)

Shortly after being found in contempt, Petitioner hired his present attorney, and Petitioner and Respondent made slow but steady progress toward resolving this matter. In fact, Petitioner fully installed a fire sprinkler system in the Schwarzer Building. During this same period, William Tomerlin, as part of another development, extended the airport water main along Airport Road in front of the Schwarzer Building and on to Mr. Tomerlin's development. Mr. Tomerlin paid $16,266.14 to extend the 10 inch water main from its former location to the spot on Airport Road where Petitioner needs to connect his sprinkler system.[1] Petitioner steadfastly refuses to connect his fire sprinkler system to the airport water main because Petitioner refuses to reimburse Mr.

---

[1] This figure only represents the cost to the Schwarzer Building. Mr. Tomerlin's cost of extending the 10 inch water main to his development far exceeded $16,226.14.

Tomerlin for one-half of the cost of the water main extension costs.[2]

On April 6, 1989, the Douglas County Board of County Commissioners amended the Douglas County Code concerning fire sprinklers, in part, as follows:

> (h)(1) Except as provided in this section, all buildings or structures having a total building area of five thousand (5,000) square feet or more, and/or all buildings or structures three stories high or in excess of 45 feet in height, whichever is less, shall be provided with automatic fire sprinkler protection.
>
> * * *
>
> (5) Total building area is defined for the purpose of this section as the total floor area in square feet for all floor levels within the exterior walls, or under the horizontal projection of the roof of a building. *Each portion of a building separated by one or more four-hour area separation walls with no openings and provided with a 30-inch parapet constructed in accordance with The Building*

---

[2] A 10 inch water main exceeds the capacity any one developer in that area needs to service his or her development. A 10 inch main, however, is necessary to service the area. Consequently, long standing county policy requires that, as subsequent users connect to the 10 inch water main, those subsequent users reimburse the developer that extended the water main a pro rata share of the cost of extending the oversized water main to the connection point of the subsequent user. Thus, as the area develops, all users of the water main share equitably in its installation costs. In any case, this procedure saves Petitioner one-half the cost of the water main extension, because under Court Order Petitioner had to extend the main himself.

Code may be considered as separate buildings for the purpose of determining total building area.

(*See*, Appendix, p. 38; emphasis added.)

On January 2, 1990, Judge Gamble (who had replaced Judge Berkson on the bench) held a status hearing in this case. Petitioner took the position that Ordinance No 491 obviated his obligation to comply with any court orders because the Schwarzer Building was separated into five shops by four hour walls and each shop was under 5,000 square feet. Respondent disagreed in law and fact. Judge Gamble then ordered an evidentiary hearing on this issue and the issue of reimbursement to Mr. Tomerlin.

On January 8 and February 6 and 7, 1990, Judge Gamble conducted an extensive evidentiary hearing. During this evidentiary hearing, Petitioner extensively examined Mr. Tomerlin concerning the extension of the water main. Judge Gamble made the following findings:

1. The building located at 1095 Airport Road, Minden, Nevada, has over 13,000 square feet and parts of this building have been occupied since 1978.[3]

2. No Certificate of Occupancy has been issued by the Public Works Department.

3. When the original building permit was issued to the Schwarzers in 1967 Henry Schwarzer signed the permit agreeing to comply with all applicable rules, ordinances and laws.

---

[3] On December 13, 1985, Judge Berkson found the Schwarzer Building to be "13,120 square feet in size."

4. When the next building permit was issued on August 16, 1978, Esther Schwarzer signed the building permit agreeing to comply with all applicable rules, ordinances and laws.

5. The building which is apparently owned by Esther Schwarzer is not in compliance with:

a) existing building and fire codes.

b) The Special Use Permit issued April 7, 1977.

6. According to the Special Use Permit the sprinkling system must be approved by the Douglas County Fire Chief and ISO (Insurance Services Office).

7. On February 3, 1983, the Board of County Commissioners refused to waive the sprinkler system requirement because of the distance from the building to the fire department; the volunteer nature of the fire department; and the size of the proposed use of the building. The commissioners believed the sprinkler system requirement was necessary to protect life and property in the building and surrounding areas.

8. The square footage in each unit is immaterial because the Special Use Permit requires a sprinkling system in the building that is operational and hooked up to an adequate, functional water source.

9. Sprinkler systems must be hooked up to an adequate, functional water system for occupant safety and because the presence of the system is deceptive to underwriters, insurance companies, and occupants.

10. The sprinkler system and hook up must include a back flow prevention which is acceptable to the county, to protect the overall water system.

11. The Schwarzers are to pay for the actual hook up to the existing water system and the back flow prevention device.

12. The Schwarzers have paid a $2,000.00 hook up fee to the county.

13. Equity requires that William Tomerlin be reimbursed $8,113.07, which is one-half (1/2) of the costs of installing the water main in front of the Schwarzer property. Likewise, had the Schwarzers installed the water main in front of their property and had Mr. Tomerlin hooked on to the main, the Schwarzers would have been entitled to one-half (1/2) of their installation costs.

14. The County Fire Chief and Engineer are to inspect within five (5) days of completion all work on the sprinkler system and hook up for compliance with all current Douglas County fire codes. A Certificate of Occupancy must be issued by the Public Works Department upon finding the building in compliance.

15. On November 15, 1984, Schwarzer posted a $5,000.00 bond as a condition for staying the Order for Contempt entered on July 11, 1985.

(*See*, Appendix, p. 41) Judge Gamble then ordered Petitioner to hook up to the water main and reimburse Mr. Tomerlin $8,113.00 for installation of the water main.

On October 19, 1990, Judge Gamble voluntarily disqualified himself from the case to avoid the "appearance

of unfair treatment of the Schwarzers" because their present attorney made "various false statements concerning this Court and the record in this case which would constitute clear violation of Nevada Rules of Civil Procedure Rule 11 had the documents been filed." (*See*, Appendix, p. 50.)

The Schwarzers appealed Judge Gamble's order to the Nevada Supreme Court. (*See*, Appendix, p. 48.) After reviewing the briefs and entertaining oral argument, the Nevada Supreme Court issued an Order Dismissing appeal on June 27, 1991. (*See*, Appendix, p. 62.) The Schwarzers have since twice requested that the Nevada Supreme Court reconsider its decision. Both times the Nevada Supreme Court has declined. (*See*, Appendix, p. 66.)

On February 3, 1992, Petitioner filed the present petition for Writ of Certiorari with this Court.

SUMMARY OF ARGUMENT

I. Supreme Court Rule 14.5 requires that Petitioner present the points he wishes this Court to consider with "accuracy, brevity, and clearness." Petitioner has failed to do so in this case, making the granting of certiorari inappropriate.

II. This case presents no issues worthy of review by this court on Writ of Certiorari.

A. The monetary award for reimbursement from Petitioner to Mr. Tomerlin is appropriate and lawful because Petitioner was under court order to perform those obligations. In fact, Petitioner had twice been held in contempt for not performing those obligations.

Instead, Petitioner foisted these court-ordered obligations onto his neighbor, Mr. Tomerlin. In any case, under Nevada Rules of Civil Procedure 15(b) Petitioner vested the District Court with jurisdiction over these issues when Petitioner expressly or implicitly amended the pleadings by trying these issues before the District Court.

B. Petitioner received a fair and unbiased trial of this case three times before three separate district judges, and each district judge ruled against Petitioner. Petitioner's attorney's unethical and defamatory conduct some eight months after the order under appeal was entered does not, nor cannot impute actual bias to the District Judge.

ARGUMENT

I. THE PETITION FAILS TO PRESENT THE POINTS WHICH PETITIONER WISHES THE COURT TO CONSIDER WITH THE ACCURACY, BREVITY, AND CLARITY THE RULES OF THIS COURT REQUIRE.

Supreme Court Rule 14.5 provides as follows:

> The failure of a petitioner to present with accuracy, brevity, and clearness whatever is essential to a ready and adequate understanding of the points requiring consideration will be a sufficient reason for denying the petition.

The 51 page petition constitutes a violation of Supreme Court Rule 14.5. A careful reading of the petition does not inform the reader of the procedural history of this case or what issues were before the Nevada

Supreme Court, much less why this Court should review its decision by Writ of Certiorari. As Supreme Court Rules 14.5 states, the petition should be denied.

II. THIS CASE PRESENTS NO ISSUES WORTHY OF REVIEW BY THIS COURT ON WRIT OF CERTIORARI.

In Supreme Court Rule 10, this Court has specified those features which a case must present before it will be considered worthy of review by Writ of Certiorari. This Court described the issues worth of review as follows:

> a. When a United States Court of Appeals has rendered a decision in conflict with the decision of another United States Court of Appeals on the same matter; or has decided a federal question in a way in conflict with a state court of last resort; or has so far departed from the accepted and usual course of judicial proceedings, or sanctioned such a departure by a lower court as to call for an exercise of this court's power of supervision.
>
> b. When a state court of last resort has decided a federal question in a way that conflicts with a decision of another state court of last resort or a United States Court of Appeals.
>
> c. When a state court or a United States Court of Appeals has decided an important question of federal law which has not been, but should be, settled by this court, or has decided a federal question in a way that conflicts with the applicable decisions of this court.

United States Supreme Court Rule 10.1(a) through (c).

Although he fails to make it clear in his petition, Petitioner appears to rely on United States Supreme Court Rule 10.1(a) through (c). First, Petitioner alleges that Judge Gamble and the Nevada Supreme Court improperly awarded a monetary judgment against Petitioner and in favor of Mr. Tomerlin, a person not a party to this case. Petitioner inaccurately claims that this violates Nevada law and federal law and creates a conflict between the Supreme Courts of Nevada and Arizona. Second, Petitioner claims that he did not receive a fair trial from Judge Gamble. Neither argument is accurate, nor worthy of review by this Court.

A. The Monetary Award to Mr. Tomerlin Is Appropriate and Lawful.

In the Permanent Mandatory Injunction of April 7, 1986, Judge Berkson ordered "that Henry and Esther Schwarzer, *at their own expense*, immediately contract with a licensed contractor for installation of an extension of the Douglas County Airport Water System to the Schwarzer Building." (*See*, Appendix, p. 32.) On December 29, 1986, Judge Berkson found that Petitioner "failed to construct the court ordered extension of the Douglas County Airport Water System, and was therefore in contempt of court for violating this Court's Judgment and Order of December 13, 1985, Permanent Mandatory Injunction of April 7, 1986, and Order of August 18, 1986." (*See*, Appendix, p. 36.) And as it turned out, Petitioner never did comply with these court orders; he allowed Mr. Tomerlin to extend the Douglas County Airport water main. Mr. Tomerlin's actual cost of extending the Douglas

County Airport water main to a point in front of the Schwarzer Building was $16,266.14. This should have been Petitioner's cost had Petitioner complied with court orders. Consequently, Judge Gamble found that:

> [e]quity requires that William Tomerlin be reimbursed $8,113.07, which is one-half (1/2) of the costs of installing the water main in front of the SCHWARZER property. Likewise, had the SCHWARZERs installed the water main in front of their property and had Mr. Tomerlin hooked on to the main, the SCHWARZERs would have been entitled to one-half (1/2) of their installation costs.

(*See*, Appendix, p. 44.) Judge Gamble was correct: equity requires reimbursement to Mr. Tomerlin of $8,113.07. To hold otherwise would be to punish Mr. Tomerlin and reward Petitioner for Petitioner's continued contempt of court.

Petitioner appears to argue that Judge Gamble had no ability to decide this issue because it was not part of this case. First, the water main extension is and always has been a part of this case. Indeed, Judge Berkson ordered Petitioner to pay for the water line extension by contract, but Petitioner contemptuously ignored Judge Berkson's order. Second, Petitioner himself opened the door to this issue of payment to Mr. Tomerlin. Petitioner then insisted on trying this issue before Judge Gamble. Third, Nevada Rules of Civil Procedure 15(b) provides that "[w]hen issues not raised by the pleadings are tried by express or implied consent of the parties, they shall be treated *in all respects* as if they had been raised in the pleadings." Petitioner himself actually raised and tried

the issue of reimbursement to Mr. Tomerlin, and thus, agreed to an amendment of the pleadings to add this issue to the pleadings.

B. Petitioner Received a Fair and Unbiased Trial From Judge Gamble

Judge Gamble conducted evidentiary hearings on the status of this case on February 6 and 7, 1990. On February 20, 1990, Judge Gamble entered the order which is now the subject of this appeal. Some eight months later, Judge Gamble voluntarily disqualified himself from further participation in this case for the following reason:

> The Court reviewed the documents recently served (but not filed), which is attached hereto as Exhibit A. Based upon the comments of counsel contained in that document, including various false statements concerning this Court and the record in this case which would constitute clear violations of Nevada Rules of Civil Procedure Rule 11 had the document been filed, the undersigned District Judge hereby voluntarily disqualifies himself in order to avoid the appearance of unfair treatment of the Schwarzers as a result of their attorney's actions.

(*See*, Appendix, p. 50.) Petitioner now attempts to use his attorney's unethical and defamatory conduct to impute actual bias to Judge Gamble. Petitioner's arguments are without merit for three reasons.

First, Judge Gamble entered the order at issue here in February of 1991. Judge Gamble then voluntarily disqualified himself from this case because of Petitioner's attorney's unethical and defamatory conduct which occurred

some eight months later in October of 1991. Petitioner's attorney cannot create issues for appeal by his unethical and defamatory conduct which occurred some eight months after the order under appeal. Second, Petitioner had tried and lost this case before two other district judges long before Judge Gamble heard this case. It is paranoid to believe that visiting Judge Recanzone in 1983 and Judge Berkson in 1985 and 1986 were likewise biased against Petitioner. Yet, Judge Gamble's order "merely reaffirm[ed] the previously entered Court Orders." (*See*, Appendix, p. 43.) Finally, Judge Gamble did not disqualify himself for actual bias as Petitioner has alleged. Judge Gamble "voluntarily disqualified himself in order to avoid the appearance of unfair treatment of the Schwarzers as a result of their attorney's actions." (*See*, Appendix, p. 50.) Petitioner merely seeks to reargue the decisions of three separate district judges and the Nevada Supreme Court.

CONCLUSION

Respondent respectfully urges that this Court deny the Petition for Writ of Certiorari. Petitioner has brought nothing to this Court's attention indicating an unresolved question of law which this Court should decide or indicating any action by a lower court which was so beyond the usual scope of judicial proceedings that this Court is obligated to exercise its supervisory authority.

Respectfully submitted,

SCOTT W. DOYLE
District Attorney
Post Office Box 218
Minden, Nevada 89423
(702) 782-9803

Counsel for Respondent

APPENDIX

Special Use Permit-Henry Schwarzer (11/07/77) ..... App. 1

Douglas County Board of Commissioners Meeting of February 3, 1983 ..... App. 3

Complaint (filed 12/07/83) ..... App. 10

Order (filed 11/29/84) ..... App. 16

Order and Notice of Warrant of Commitment (filed 07/11/85) ..... App. 21

Order (filed 11/07/85) ..... App. 25

Judgment and Order (filed 12/13/85) ..... App. 26

Permanent Mandatory Injunction (filed 04/07/86) ..... App. 31

Order (filed 12/29/86) ..... App. 35

Ordinance 491 ..... App. 38

Order (filed 02/20/90) ..... App. 41

Notice of Appeal (filed 07/03/90) ..... App. 48

Order (filed 10/19/90) ..... App. 50

Order Dismissing Appeal (filed 06/27/91) ..... App. 62

Order Denying Rehearing (filed 11/05/91) ..... App. 66

IN THE MATTER OF BOARD OF ADJUSTMENT

SPECIAL USE PERMIT – HENRY SCHWARZER

11/07/77

Dan Jenkins: Subject property is located as parcel 23-040-07 Douglas County Assessor Map, SW 1/4, Section 8, T.13.N., R. 20.E., at the corner of Airport Road and Heybourne Road at 1095 Airport Road. The parcel presently has footings in place since 1967, when the proposed building was originally approved. The approval expired in 1968 since construction was stopped by the owner. The property is level and contains 1 acre.

This application would propose an industrial building on the property which could house a machine shop with partitions for 4 more shops. It is intended at this time to construct only 2 of the 5 shops, 2560 square feet each.

Access is from Airport Road to the front of the building with a drive on the side to the rear area. Parking will be 6 spaces in the front with additional parking in the rear, along with truck loading facilities. All in the ME zone, only as required by the development (No. of employees, customer requirements, access, etc.) but there should be at least 2 per business plus employee parking (which could be in the rear).

In reviewing this application the board should determine that approval of this application would not:

1. Be detrimental to the public health, safety, welfare and convenience;

2. Result in material damage or prejudice to other property in the vicinity.

Andy Aldax was concerned about the water problem in the area.

He wanted to know if there would be a liability to the ranchers that use the water in that ditch and have an overflow.

Dan Hickey moved approval of this Special User Permit with findings and the following conditions:

1. Construction to commence within six months and completion within one year of date of approval.

2. Installation of sprinkler system to be approved by Douglas County Fire Chief and ISO.

3. Conformance to plans approved as a part of this application.

4. Eliminate coffee shop and cocktail lounge.

The record will reflect that Mr. Schwarzer agrees that in the event that something happens with that ditch, in terms of the amount of water in there, that he understands no one is liable for it. Gene Osborne seconded the motion. All Aye. SO ORDERED.

Douglas County Board of Commissioners
Meeting of February 3, 1983

DISCUSSION OF SPRINKLERING REQUIREMENTS ON HENRY SCHWARZER'S BUILDING, located at the corner of Heybourne Road and Airport Road, APN 23-040-07, T.13N, R.20E, Section 8, Minden.

Mr. Burnham said that this request is being made by Lou Doescher, Mr. Schwarzer's attorney, to obtain an exemption of the sprinklering requirements. He said that in 1977 the Board approved a Special Use Permit with condition number 2 being installation of a sprinkler to be approved by the Douglas County Fire Chief and the Insurance Services Office (ISO). To date the sprinkling has not taken place and Mr. Schwarzer would like to address the Board regarding that.

Lou Doescher, attorney from Carson City, represented Mr. and Mrs. Schwarzer and said that they were requesting a waiver pursuant to Douglas County Code Chapter 15.04.160 (which permits discretionary power by the Board to allow a building in an industrial zone to be occupied and used without a sprinkler system provided that adequate fire extinguisher systems are within the building). He acknowledged that Mr. Schwarzer did apply for and receive a Special Use Permit in 1977 and one of the conditions on that permit was the installation of a sprinkling system, however, there was no discussion at that point, and the minutes do not reflect, as to how water is to be gotten to the property. Mr. Schwarzer did submit the building plans in 1979 to the County, which were approved without a sprinkling system. The building is 13,000 square feet which has five separate shops within

it. Each of the shops are separated with a 1-1/2 hour fire wall as required and each of the shops are approximately 2,600 square feet. He said that the building has been occupied since 1980 but there is no certificate of occupancy; Mr. Schwarzer thought that had been taken care of by the builder (Ron Kitchen). Mr. Doescher said that the utility companies have told him that the only way they would provide a meter service to the building was if someone at the County told them that it was fit for occupancy. Mr. Doescher said that there are four meters at the building, which would indicate that someone had cleared it. He noted that the County employee which Mr. Schwarzer dealt with (Mr. Jordan), is no longer working for the County.

Mr. Doescher said that one of the tenants in the building manufacture highly sensitive computer equipment and these tenants have told Mr. Schwarzer that if sprinkling systems have to be put in, they will vacate the premises because their equipment could be ruined if the systems went off.

Mr. Doescher referred to the problem of paying for or providing for a water line to the building, or where the water is going to come from. He said that there is a small well on the premises which Mr. Schwarzer put in which serves lavatory and drinking water, but which is totally insufficient for providing for a sprinkling system. He felt that the ordinance has some problems in it because of the use of the words and/or, which as far as he knew was legally vague and void because it did not tell whether or not this type of system was required within this particular building.

Mr. Doescher said that they were asking for the Board's authority to allow Mr. Schwarzer to continue to use the building and provide for some type of fire extinguishers within the building to satisfy his tenants. He said that Mr. Schwarzer will face economic ruin if he is not allowed to continue the way he has been.

In response to a question, Mr. Doescher said that the tenants have said they would rather have no sprinkling system and take their chances than have the system go off and cause damage.

Chairman Witt asked about a valve system so that certain areas could be shut off to protect tenants whose equipment would be ruined by water. Mr. Doescher responded that could be constructed but one of the other problems is that the cost involved is almost prohibitive.

Discussion ensued on the points brought up by Mr. Doescher regarding the supplying of water to the building. Commissioner Cook said that the water was Mr. Schwarzer's problem. Mr. Doescher felt that in the confines of a metropolitan area the supplying of water was up to the county or the city. Commissioner Cook said that this is not a metropolitan area and it is Mr. Schwarzer's responsibility to supply the water. She also asked about the report of March 11, 1982 regarding the required installation of fire wall between units 4 and 5. Mr. Doescher said that had been done.

Commissioner Pruett noted that in the courthouse remodel one of the vaults has a dry extinguisher unit and asked if that would be applicable to their use. Mr. Doescher said that the lessees in the building don't want the halon system either and as far as he knew they were more

expensive than the regular system (which was priced at $40,000 to $60,000) and which would be impossible for Mr. Schwarzer to install. He reiterated that Mr. Schwarzer relied on the County approval of plans in 1979 without the sprinkler system

Jerry Schwartz, Senior building Inspector, stated some concerns expressed by Bill Driscoll of the Fire Department; mainly that the distance from the local fire station is such that the building would be burned to the ground before the Fire Department could get there because of the response time. He said that Mr. Driscoll had a previous meeting and had to leave and requested that before a waiver is given that the Fire Department have a chance to give their input.

Mr. Schwartz noted that the sprinkler was required to start with and the man has illegally occupied the building without the sprinkler system which is in violation of county law and ordinance. He also said that under the retrofit ordinance which was passed after that time, Mr. Schwarzer is required to sprinkler. He said that the cost is not really a problem with the County and noted that the County has had to sprinkler our buildings at sufficient cost when money is tight. He said that Mr. Schwarzer knew the sprinklers were required and did not feel he has any reason for not sprinklering the building. He said that the trusses are wood but that is immaterial because the County ordinance says that any building over 5,000 feet, regardless of fire walls or partitions must be sprinklered.

Chairman Witt noted that there are alternatives to wet sprinklering. Mr. Schwartz said that halon systems are used by the casinos in critical areas and are used by the

County and they are expensive. Mr. Schwartz said that he did not feel that expense should be considered by the Board, that Mr. Schwarzer knew originally what he had to do and should have considered that.

Commissioner Pruett asked how many buildings in this area are going to be economically impacted by this local county ordinance. Mr. Schwartz said that there are many of them; and that he has called a meeting with all of the local fire departments for next Wednesday to discuss the County sprinkler ordinance and the impacts it will have. Mr. Schwartz went on to say the subject building with 13,000 square feet still falls under SB214 for retrofit sprinklers. He said that even if the County relaxed their requirements, in all probability the State would require sprinklers in there.

Commissioner Cook noted that if the sprinklers had been put in in 1977, the sprinklers would not have cost as much as they will now.

Mr. Doescher said that in March 1982 the State Fire Marshal approved the building. He said he didn't know what SB214 may or may not do to that approval but he did not think it would affect the approval. He reiterated that it is not possible for Mr. Schwarzer to install the system and maintain operation; that he relied on the County approved plans and if there are problems with the man who approved them who is not here, that is not Mr. Schwarzer's problem. He noted that the ordinance allows the Board to waive the requirements and asked them to do that.

During the public hearing, there were no comments, the public hearing was closed.

Mr. Burnham said he believed the plans were reviewed by the Building Department. Mr. Schwartz said that it is normal building Department procedure that when plans are submitted, the sprinkler system is not on the plans, it is submitted at a later date after the building has gone out to bid. That the sprinkler system plans are submitted at a later date and are approved and a separate permit is issued for the sprinkler system.

Commissioner Pruett asked if the matter could not wait until after the proposed meeting with the fire departments, and all such items come back to the Board.

Chairman Witt said that if procedures would have been followed, the building would have been sprinklered and that it should be sprinklered.

Commissioner Meyer asked why the building was occupied without an occupancy permit. Mr. Burnham said that has been a problem in the past, and that they try not to do that now.

Mr. Kolvet said that the item is for discussion today and does not think the Board has noticed if for any particular action. He said that if the Board required that this be brought back for a change in a condition, then it should be agendized for a future meeting. He said that if the Board does not wish to bring it back for a change, then they should so indicate.

MOTION by Cook/Oswald that the matter of the waiving of the sprinkler requirement wiil not be brought back to the Board; that the policy and the regulations are a matter of record; that the ordinance and enforcement procedures will be adhered to; was carried with Pruett voting Nay.

Mr. Doescher expressed dissatisfaction with the action, he said he asked that it be placed on the agenda so that they could get an exemption or a motion that the exemption would not be given. Mr. Kovet responded that that was basically what he was getting.

Case No. 14399

Dept. No.

IN THE NINTH JUDICIAL DISTRICT COURT OF THE STATE OF NEVADA

IN AND FOR THE COUNTY OF DOUGLAS

DOUGLAS COUNTY, NEVADA, a political subdivision of the State of Nevada, Plaintiff, vs. HENRY SCHWARZER, Defendant.	COMPLAINT (Filed Dec. 7, 1983)

COMES NOW Plaintiff, Douglas County, Nevada, by and through its attorneys, BRENT T. KOLVET, District attorney, Douglas County, Nevada, and STEPHEN C. BALKENBUSH, Chief Deputy District Attorney, and, for a cause of action, complains and alleges as follows:

I

This proceeding seeks mandatory injunctive relief pursuant to NRS.33.010.

II

Plaintiff, Douglas County, Nevada, is a political subdivision duly organized and existing under the laws of the State of Nevada.

III

Defendant, Henry Schwarzer, is a resident of the State of Nevada and owns a building located at 1095 Airport Road, Minden, Nevada, Assessor's Parcel Number 23-040-07.

IV

This Court has jurisdiction over the subject matter of this case.

V

That on April 7, 1977, the Douglas County Board of Commissioners, acting as the Board of Adjustments, conditionally approved the application of Defendant, Henry Schwarzer, for a special use permit to construct an industrial building at 1095 Airport Road, Minden, Nevada, on Assessor's Parcel Number 23-040-07.

VI

That among the conditions imposed on issuance of the special use permit referred to in paragraph V, Defendant, Henry Schwarzer, was required to install a sprinklering system.

VII

That the building referred to in paragraph V of this complaint has been occupied since 1980 without the installation of the sprinklering system required by the Douglas County Board of Commissioners, acting as the

Board of Adjustments, and without the benefit of a Certificate of Occupancy.

VIII

That on March 11, 1982, David P. Dietz, Jr., Associate Planner for Douglas County, Nevada, informed Defendant, Henry Schwarzer, that among other things, Defendant's building referred to in paragraph V of this complaint had not received a final inspection or a Certificate of Occupancy and that the building did not have a required sprinklering system. (*See* Exhibit A attached hereto and incorporated by reference as though fully set forth herein at length).

IX

That on December 14, 1982, Jerry K. Schwartz, Senior Building Inspector for Douglas County, Nevada, informed the Defendant that Defendant's building referred to in paragraph V of this complaint was being illegally occupied without benefit of a final inspection or a Certificate of Occupancy. (*See* Exhibit B attached hereto and incorporated as though fully set forth at length).

X

That on December 17, 1982, Jerry K. Schwartz, Senior Building Inspector for Douglas County, Nevada, informed Defendant, Henry Schwarzer, that his building referred to in paragraph V of this complaint would not receive a final inspection or a Certificate of Occupancy until Defendant, Henry Schwarzer, installed and made

operational a fire sprinklering system or an acceptable alternative which met with the approval of the fire chief. (*See* Exhibit C attached hereto and incorporated by reference as though fully set forth herein at length).

XI

That on February 3, 1983, Defendant, Henry Schwarzer, appeared before the Douglas County Board of Commissioners, at its regularly scheduled public hearing, seeking a waiver of the sprinklering system requirement previously imposed by said Board on April 7, 1977. After having heard testimony from Defendant that he must comply with the ordinance requiring the sprinklering of his building.

XII

That on August 9, 1983, Robert H. Dinsmore, Deputy Chief/Fire Marshal for the East Fork Fire Protection District of Douglas County, Nevada, conducted an inspection of Defendant's building referred to in paragraph V of this complaint and, after conducting said inspection, sent a letter dated August 11, 1983, to Defendant Schwarzer wherein he informed Defendant Schwarzer that his building did not contain the fire sprinklering system required by the Douglas County Board of Commissioners and informed the Defendant that his building was being occupied without a Certificate of Occupancy, in violation of the Douglas County Code. (*See* Exhibit D attached hereto and incorporated by reference as though fully set forth herein at length).

XIII

That on May 4, 1983, Jerry K. Schwartz, Senior Building Inspector for Douglas County, Nevada, once again informed the Defendant that his occupancy of his building referred to in paragraph V of this complaint was illegal. (*See* Exhibit E attached hereto and incorporated by reference as though fully set forth herein at length).

XIV

That the occupancy of the building referred to in paragraph V of this complaint constitutes a continuing violation of the duly enacted laws of Douglas County, Nevada, specifically Section 307 (a of the 1976 and 1977 editions of the Uniform Building Code which prohibit the occupation of a building or structure until the building official has issued a Certificate of Occupancy, and 15.04.360 of the Douglas County Code which requires that all buildings and structures exceeding five thousand (5,000) square feet must be provided with automatic fire sprinkler protection.

XV

That Plaintiff has no plain, speedy or adequate remedy in the ordinary course of law.

WHEREFORE, Plaintiff, Douglas County, Nevada, prays this Court:

1. Issue an order permanently enjoining the occupancy of the building referred to in paragraph V of this complaint or, in the alternative, order that Defendant

comply with the mandates of the laws set forth in this complaint;

2. For costs attendant with the prosecution of this action; and

3. For such other and further relief as to this Court seems just.

DATED this 5th date of December, 1983.

Respectfully submitted,

BRENT T. KOLVET
District Attorney
Douglas County, Nevada

By: /s/ Stephen C. Balkenbush
Stephen C. Balkenbush
Chief Deputy District Attorney
Post Office Box 218
Minden, Nevada 89423
(702) 782-9800

Attorneys for Douglas County, Nevada

Case No. 14399

Department I.

IN THE NINTH JUDICIAL DISTRICT COURT OF THE STATE OF NEVADA

IN AND FOR THE COUNTY OF DOUGLAS

DOUGLAS COUNTY, NEVADA,
Plaintiff,
vs.
HENRY SCHWARZER,
Defendant.

ORDER

This action came on for hearing before the Court on November 14, 1984, on plaintiff's Motion for Preliminary Injunction. The motion was to restrain defendant from occupying or otherwise making use of the building located at the corner of Heybourne Road and Airport Road, Minden, Nevada, assessor's parcel number 23-040-07. This building is a single structure exceeding 5000 square feet, and is divided into five separate units. Plaintiff requests this restraint continue until the conclusion of this action, or until an approved sprinkler system is installed and operational, and a Certificate of Occupancy for the building is issued.

A special use permit was granted concerning this property by the Douglas County Board of Commissioners on April 7, 1977, which special use permit required installation of a sprinkler system approved by the Douglas County Fire Chief and ISO. A sprinkler system is

required by Douglas County Ordinance No. 340 and such ordinance has been in effect at all times since April 7, 1977.

Examination of the defendant at the hearing held on November 14, 1984 revealed that the building was first occupied by defendant in 1978; that since that time various other parties have occupied individual units of the building for varying periods of time; and such occupation was without benefit of a Certificate of Occupancy, which the County refused to issue until an approved sprinkler system was installed.

Even though the building was occupied without a Certificate of Occupancy, the County took no action to correct this situation until December 14, 1982; a period of four (4) years after the initial occupation by defendant. Since December of 1982 plaintiff has sent numerous letters and notices to defendant through different agents, requiring compliance with the sprinkler requirement; and the Douglas County Board of Commissioners has refused to waive the requirements when the issue was presented to them on February 3, 1983.

In a letter from the Senior Building Inspector of Douglas County, filed May 5, 1983, the defendant was told, "It appears to me that you feel that if you ignore the problem it will go away. This is not the case." (Exhibit E of Complaint filed December 7, 1983.) The Court agrees with the Senior Building Inspector, the problem *will not* go away; but it appears to the Court that in allowing occupation of the building without a Certificate of Occupancy since 1978, defendant may have been misled into

believing that no action would be taken by plaintiff to insure compliance with the sprinkler requirement.

Further, on August 11, 1983, the East Fork Fire Protection District, over Deputy Chief Dinsmore's signature, mailed a letter to defendant concerning an August 9, 1983, fire inspection of the property in question. (Plaintiff's Exhibit 3). This letter discusses discrepancies found in the individual units, as well as the sprinkler requirement of the 1977 Special Use Permit. This letter states that one of the individual units "is in a satisfactory *fire safe* condition." (Emphasis added.) It also implies that attention to the minor discrepancies found in other units would render them fire safe as well. In light of the County's delay in acting on the code violations, this letter could have further misled defendant into believing that no substantive action would be taken by the County pursuant to the sprinkler requirement.

The Court, giving every possible inference and benefit of doubt to defendant, concludes that while the requirement for a sprinkler system must be met, defendant should be given additional time in which to comply. The granting of additional time for compliance is necessary because of the probability that plaintiff has misled defendant into believing no action would be taken; provided however, that upon defendant's failure to comply with the sprinkler requirement within the additional time granted by the Court, there will be no further reprieves.

Accordingly,

IT IS ORDERED that defendant be, and he is hereby, granted sixty (60) days within which to conform with the

sprinkler requirement of his Special Use Permit issued April 7, 1977, and Douglas County Ordinance No. 340.

IT IS FURTHER ORDERED that if defendant has not complied with the requirements of his Special Use Permit issued April 7, 1977, and Douglas County Ordinance No. 340 by the expiration of the sixty (60) day period, a preliminary injunction shall issue, without further notice or hearing, restraining defendant, his representatives, agents, servants, employees and licensees from occupying, making use or collecting rent or remuneration of any kind for renting, leasing, or permitting occupancy of the building, or any unit of the building located at the corner of Heybourne Road and Airport Road, Minden, Nevada, assessors parcel Number 23-040-07.

Dated this 28th day of November, 1984.

/s/ Mario G. Recanzone
MARIO G. RECANZONE
DISTRICT JUDGE

I hereby certify that I, Patricia G. Boden, am an employee of the Honorable Mario G. Recanzone, District Judge, and that on this date, pursuant to NRCP 5 (b), I deposited for mailing at Fallon, Nevada, a true copy of the foregoing document addressed to:

John E. Simmons, Esq.
Deputy District Attorney
Post Office Box 218
Minden, NV 89423

Henry Schwarzer
1087 Airport Road
Minden, Nevada 89423

Dated this 28th day of November, 1984.

/s/ Patricia G. Boden

Case No. 14399

Dept. No. I

IN THE NINTH JUDICIAL DISTRICT COURT OF THE STATE OF NEVADA

IN AND FOR THE COUNTY OF DOUGLAS

DOUGLAS COUNTY, NEVADA, a political subdivision of the State of Nevada,

Plaintiff,

vs.

HENRY SCHWARZER,

Defendant.

ORDER AND NOTICE OF WARRANT OF COMMITMENT

(Filed Jul. 11, 1985)

This matter continued from May 14, 1984, on ORDER TO SHOW CAUSE WHY HENRY SCHWARZER SHOULD NOT BE FOUND IN CONTEMPT OF COURT, came before the Court for hearing on July 9, 1985. Considering the evidence presented, and having read the pleadings and papers on file herein, the Court finds the Defendant in Contempt of the Order of the Court dated November 28, 1984, entered November 29, 1984, modified by extending the date of compliance to July 9, 1985, by an order filed May 24, 1985 Said order reading as follows:

> IT IS HEREBY ORDERED that Defendant be, and he is hereby granted until July 9, 1985, to conform with the sprinkler requirement of his Special Use Permit issued April 7, 1977, and Douglas County Ordinance No. 340 by installing in the building and all units of said building located at the corner of Heybourne Road and

Airport Road, Minden, Nevada, Assessor's Parcel Number 23-040-07, an automatic fire sprinkler protection system.

IT IS HEREBY FURTHER ORDERED that if Defendant has not complied with the requirements of his Special Use Permit issued April 7, 1977, and Douglas County Ordinance No. 340 by installing an automatic fire sprinkler protection system by July 9, 1985, effective that date without further notice or hearing, the Defendant, his representatives, agents, servants, employees and licensees are hereby restrained and enjoined from occupying, making use of or collecting rent or renumeration of any kind for renting, leasing, or permitting occupancy of the building or any unit of said building located at the corner of Heybourne Road and Airport Road, Minden, Nevada, Assessor's Parcel Number 23-040-07.

The court finds HENRY SCHWARZER in contempt in that said automatic sprinkler system has not been installed and that said building is currently occupied.

IT IS HEREBY ORDERED and notice is given that a warrant of commitment shall issue if all business is not shut down in, and all units of the Schwarzer Building, located at the corner of Heybourne Road and Airport Road, Minden, Nevada, Assessor's parcel Number 23-040-07, are not vacated of all people, equipment and supplies within 24 hours of the service of this Order and notice of Warrant of Commitment.

IT IS HEREBY FURTHER ORDERED THAT IN SUCH EVENT HENRY SCHWARZER be committed to jail until

such time as he vacates the building of all people, equipment and supplies, and shuts down all business in said building.

IT IS FURTHER ORDERED that HENRY SCHWARZER provide, 24 hours from service of this order, the Deputy Chief/Fire Marshall for the East Fork Fire Protection District, Robert H. Dinsmore and John Ratzeburg, Senior Building Inspector of Douglas County, or their representatives, admittance to each unit of said building to inspect to determine that the building has been vacated and that all business in the building has been shut down.

DATED this 11 of July, 1985.

/s/ Lester Berkson
DISTRICT JUDGE

CASE NO. 14399

DEPT. NO. I

IN THE NINTH JUDICIAL DISTRICT COURT OF THE STATE OF NEVADA

IN AND FOR THE COUNTY OF DOUGLAS

DOUGLAS COUNTY, NEVADA, a political subdivision of the State of Nevada,

Plaintiff,

vs.

HENRY SCHWARZER,

Defendant.

ORDER

(Filed Nov. 7, 1985)

This matter coming on for hearing the 5th day of November, 1985, and the Court having heard arguments from both counsel, and good cause appearing therefor,

IT IS FURTHER ORDERED that ESTHER SCHWARZER be, and she hereby is made a party Defendant in this action, and shall be bound by any further orders of this Court.

IT IS FURTHER ORDERED that Defendant HENRY SCHWARZER continue to be bound by all orders of this Court.

IT IS FURTHER ORDERED that a stay of the enforcement of the contempt order be and the same hereby is granted; and as a condition of said stay, Defendants are to post a bond in the amount of $5,000.00.

IT IS HEREBY ORDERED that said bond be deposited in a bank account to bear interest until further order of this Court.

IT IS FURTHER ORDERED that a trial on the merits in the above-entitled matter be and the same hereby is set for November 22, 1985, at the hour of 1:30 p.m..

DATED this 7 day of November, 1985.

/s/ Lester Berkson
DISTRICT COURT JUDGE

Case No. 14399

Dept. No. I

IN THE NINTH JUDICIAL DISTRICT COURT OF THE STATE OF NEVADA

IN AND FOR THE COUNTY OF DOUGLAS

DOUGLAS COUNTY, NEVADA, a political subdivision of the State of Nevada,

Plaintiff,

vs.

HENRY SCHWARZER,

Defendant.

JUDGMENT AND ORDER

(Filed Dec. 13, 1985)

This action came before this Court for trial on the merits on November 22, 1985. The transcript of the November 14, 1985, hearing on the preliminary injunction was admitted into evidence as well as plaintiff's November 14, 1985, exhibits one through fifteen. Plaintiff seeks to restrain defendant from occupying or otherwise making use of the building located at the corner of Heybourne Road and Airport Road, Minden, Nevada, assessor's parcel number 23-040-07. A mandatory injunction ordering the defendant to install the required sprinkler system is necessary in order to abate the fire danger. The building is a single structure, 13,120 square feet in size, and is divided into five separate units. It is an industrial building housing a machine shop and other commercial enterprises. All units of the building were not constructed at the same time. Although a building plan

was submitted for the 1979 building permit, no sprinkler plan was submitted. The procedures require submission of a sprinkler plan after the building permit is issued and the building is up but with the walls still unenclosed.

A special use permit was granted concerning this property by Douglas County on April 7, 1977, which special use permit required the installation of a sprinkler system. A valid building permit was not in existence at the time the special use permit was issued. the application for a permit for construction of the last three units of the building (permit 356) was made on December 4, 1979. The sprinkler system is currently required by Douglas County Ordinance and has been required by the Uniform Building Code and the Douglas County Ordinances as noted below: Douglas County Ordinance 219 which became effective August 1, 1974, specifically requiring that "[a]ll commercial or industrial type buildings over five-thousand (5,000) square feet shall install automatic sprinkler systems; sections 505 and 506(c) of the 1976 Uniform Building Code adopted by Douglas County Ordinance 266 which became effective on June 2, 1977, and by similar provisions of the 1973 Uniform Building Code adopted by Douglas County Ordinance 209 which became effective January 4, 1974; and by Douglas County Ordinance 340 which became effective on August 7, 1980.

Examination of the defendant and Jerry Schwartz at the hearing held on November 14, 1984, revealed that the first unit of the building was occupied by the defendant in 1978; that since that time various other parties have occupied individual units of the building for varying periods of time; and such occupation was without benefit

of a Certificate of Occupancy, which the County refused to issue until an approved sprinkler system was installed.

Examination of Robert Dinsmore, East Fork Fire District Fire Marshall, at the November 14, 1984, hearing and at trial on the merits on November 22, 1985, reveals that there is a substantial threat of irreparable injury if the injunction is not granted. There is a danger of loss of life and property due to occupancy of the defendant's building without the required sprinkler system. The danger results from the type of use of the building, the size of the building, insufficient fire flow demand, protracted response time of fire department personnel due to the distance from the fire station, additional delay for travel by volunteer firemen to the fire station, and the fact that travel time may be increased by inclement weather conditions.

The evidence presented is insufficient to support defendant's argument that Douglas County is estopped from seeking injunctive relief against the defendant.

The court finds the danger of loss of life and property outweighs any potential harm that the injunction may impose on the defendant and that granting the injunction will serve the public interest.

Accordingly,

IT IS ORDERED that this matter is continued until February 12, 1986. The defendant shall immediately contact Robert Dinsmore of the East Fork Fire District and obtain a list of licensed automatic sprinkler contractors that can prepare an approved sprinkler plan. This plan shall be prepared in compliance with the National Fire

Protection Association Pamphlet 13. Defendant shall then get the plan approved by the State Fire Marshall and the East Fork Fire District Fire Marshall and submit the plan by February 5, 1985, to the Douglas County Public Works Department (Douglas County Engineer) for review. That department shall then review the plans and submit them to the court on February 12, 1985.

IT IS FURTHER ORDERED that the Douglas County Public Works Department (Douglas County Engineering) prepare a construction plan for extension of the Airport Water System to a point adjacent to the Schwarzer building along with a detailed cost estimate for the construction of said extension and hooking up to said system. Douglas County shall bear the cost of preparing the construction plan. Warner Phillips shall investigate the possibility of the use of grant money in connection with the extension of the system.

IT IS FURTHER ORDERED that in the event Henry Schwarzer or Esther Schwarzer convey or assign any interest in the building located at Heybourne Road and Airport Road, Minden, Nevada, assessor's parcel number 23-040-07, they shall give actual notice to the grantee or assignee of the contents of this judgment and order, and of the preliminary injunction order entered November 29, 1984. Henry Schwarzer and Esther Schwarzer and their assignees or grantees of an interest in the subject property are bound by the terms of this judgment and order and of the terms of the preliminary injunction entered November 29, 1984. Also bound are Henry Schwarzer's

and Esther Schwarzer's agents, servants, employees and licensees.

DATED this 13 day of December, 1985.

/s/ Lester Berkson
DISTRICT JUDGE

CASE NO. 14399

DEPT. NO. I

IN THE NINTH JUDICIAL DISTRICT COURT OF THE STATE OF NEVADA

IN AND FOR THE COUNTY OF DOUGLAS

DOUGLAS COUNTY, NEVADA, a political subdivision of the State of Nevada,

Plaintiff,

vs.

HENRY SCHWARZER,

Defendant.

PERMANENT MANDATORY INJUNCTION

(Filed Apr. 7, 1986)

This matter came before this Court for further hearing on March 11, 1986. Plaintiff seeks a mandatory injunction requiring the installation of an automatic fire sprinkler system or alternatively to restrain Henry and Esther Schwarzer (hereinafter Schwarzer) from occupying or otherwise making use of the building located at the corner of Heybourne Road and Airport Road, Minden, Nevada, Assessor's Parcel Number 23-040-07 (hereinafter Schwarzer Building). The Schwarzer Building is an industrial building housing a machine shop and other commercial enterprises. A mandatory injunction is necessary in order to abate the fire danger. There is a potential danger of loss of life and property due to occupancy of the building without the required sprinkler system. The danger results from the type of use of the building, the size of the building, insufficient fire flow demand, protracted

response time of fire department personnel due to the distance from the fire station, additional delay for travel by volunteer firemen to the station, and the fact that travel time may be increased by inclement weather conditions. The sprinkler system is required by the Special Use Permit granted Henry Schwarzer on April 7, 1977, and the Douglas County Code.

Schwarzers stated a desire to personally contract with a private contractor to install an extension to the Douglas County Airport Water System in accordance with the Douglas County Airport Water System, Schwarzter [sic] Extension 1986 Plan, prepared by the County, attached hereto as attachment A and incorporated herein or as amended and approved in writing by County. (Hereinafter referred to as Schwarzer Extension Plan.) Schwarzers further stated that they have obtained a licensed sprinkler contractor to prepare the plans for and to install the automatic fire sprinkler system within the Schwarzer building.

Accordingly,

IT IS HEREBY ORDERED that Henry and Esther Schwarzer, at their own expense, immediately contract with a licensed contractor for installation of an extension of the Douglas County Airport Water System to the Schwarzer building. the installation must be in accordance with the Schwarzer Extension Plan. (Attachment A, incorporated herein.) Further, the Schwarzers must obtain the inspection and approval of the extension by the Douglas County Public Works Department.

IT IS FURTHER ORDERED that Schwarzers immediately, at their own expense, complete the contract with

the licensed sprinkler contractor obtained to install the sprinkler system. This system must be designed and installed in compliance with the National Fire Protection Association Pamphlet 13. Further, Schwarzers must obtain approval of the plan for the sprinkler system by the State Fire Marshal and the East Fork Fire Protection District Fire Marshal and approval of the installation of the system by the East Fork Fire Protection District Fire Marshal and Douglas County Public Works.

IT IS FURTHER ORDERED that prior to June 30, 1986, Schwarzers complete and obtain: (1) extension of the Douglas County Airport Water System to the Schwarzer building; (2) installation of the sprinkler system within the Schwarzer building; (3) hook up of the systems in a functional manner; and (4) approval of the completed system by the East Fork Fire District Fire Marshal and Douglas County Public Works.

IT IS FURTHER ORDERED that Schwarzers will be required to pay hook up and user fees for the system as adopted by Douglas County.

IT IS FURTHER ORDERED that this matter is set on Tuesday, July 8, 1986, at 8:30 a.m. for a report on status.

IT IS FURTHER ORDERED that in the event Henry Schwarzer or Esther Schwarzer, prior to full compliance with this order, convey or assign any interest in the building located at Heybourne Road and Airport Road, Minden, Nevada, Assessor's Parcel Number 23-040-07, they shall give actual notice to the grantee of assignee of the contents of this judgment and order. Henry Schwarzer and Esther Schwarzer and their heirs, their assignees

or grantees of an interest in the subject property are bound by the terms of this judgment and order.

DATED this 7 day of April, 1986.

/s/ Lester Berkson
DISTRICT JUDGE

CASE NO. 14399

DEPT. NO. I

IN THE NINTH JUDICIAL DISTRICT COURT OF THE STATE OF NEVADA

IN AND FOR THE COUNTY OF DOUGLAS

DOUGLAS COUNTY, NEVADA, a political subdivision of the State of Nevada,

Plaintiff,

vs.

HENRY SCHWARZER,

Defendant.

ORDER

(Filed Dec. 29, 1986)

On December 23, 1986, at 1:30 p.m. this Court held an Order to Show Cause Hearing to determine why Defendants Henry and Esther Schwarzer (the "Schwarzers") should not be held in contempt of court for violating this Court's Judgment and Order of December 13, 1985, Permanent Mandatory Injunction of April 7, 1986, and Order of August 18, 1986. The Schwarzers appeared in person and with counsel of record, Carl F. Martillaro. Robert W. Story appeared on behalf of Plaintiff Douglas County. This Court considered the Application for Order to Show Cause and other pleadings, papers, and orders on file. This Court also entertained statements of the Schwarzers and arguments of counsel. This Court enters the following findings and order:

This Court finds that the Schwarzers have failed to Airport Water System, and are therefor in contempt of court for violating this Court's Judgment and Order of December 13, 1985, Permanent Mandatory Injunction of April 7, 1986, and Order of August 18, 1986. This Court further finds that the Douglas County Airport Water System Schwarzer Extension 1986 plan, which is attached to and adopted as part of this Court's Permanent Mandatory Injunction of April 7, 1986, is clear on its face and precisely describes what is necessary and sufficient for the Schwarzers to comply with this Court's lawful orders, judgments, and injunctions. This Court finally finds that the Schwarzers' objections to the Douglas County Airport Water System Schwarzer Extension 1986 plan are without merit.

ACCORDINGLY, IT IS HEREBY ORDERED that the Schwarzers have to and including December 30, 1986, at 5:00 p.m. within which to present to the Douglas County Engineer a fully executed written contract for the construction of the extension of the Douglas County Airport Water System. This fully executed written contract must be with a Nevada licensed contractor and must require strict compliance with the Douglas County Airport Water System Schwarzer Extension 1986 plan attached to and adopted as part of this Court's Permanent Mandatory Injunction of April 7, 1986. In addition, the Schwarzers have to and including January 30, 1987, at 5:00 p.m. within which to construct the extension of and hook-up the Douglas County Airport Water System to the fire sprinkler system in the Schwarzer building. The construction and hook-up of the Douglas County Airport Water

System must also be in strict compliance with the Douglas County Airport Water System Schwarzer Extension 1986 plan attached to and adopted as part of this Court's Permanent Mandatory Injunction of April 7, 1986.

IT IS HEREBY ORDERED that if the Schwarzers fail to comply with either the December 30, 1986, or the January 30, 1987, deadlines, Douglas County shall file an affidavit of non-compliance with this Court on the following judicial day. Upon filing the affidavit of non-compliance Douglas County shall terminate all occupancy, close the Schwarzer building, and post it with the following notice:

DO NOT ENTER
UNSAFE TO OCCUPY

It is a misdemeanor to occupy this building or remove or deface this notice.

BUILDING OFFICIAL OF
DOUGLAS COUNTY, NEVADA

The Schwarzer building must thereafter remain closed and vacant (except for the Nevada licensed contractor and his employees engaged in connecting the fire sprinkler system) until the fire sprinkler system has been connected and then approved for occupancy by the Douglas County Engineer and the East Fork Fire Marshal.

DATED: December 29, 1986.

/s/ Lester Berkson
DISTRICT JUDGE

ORDINANCE NO. 491

AN ORDINANCE AMENDING CHAPTER 15.04.310 AND OTHER MATTERS PROPERLY RELATING THERETO

SUMMARY

AN ORDINANCE AMENDING CHAPTER 15.04.310 OF THE DOUGLAS COUNTY CODE CHANGING CERTAIN REQUIREMENTS OF THE FIRE SUPPRESSION CODE AND PROVIDING FOR OTHER MATTERS PROPERLY RELATING THERETO.

THE BOARD OF COUNTY COMMISSIONERS FOR THE COUNTY OF DOUGLAS DOES ORDAIN AS FOLLOWS:

SECTION I: 15.04.310 Automatic fire extinguishing systems – Special provisions. Section 3802 of the Uniform Building Code is amended by adding a new subsection thereto, the same to read as follows:

(h)(1) Except as provided in this section, all buildings or structures having a total building area of five thousand (5,000) square feet or more, [regardless of the type of separation used therein,] and/or all buildings or structures three stories high or in excess of 45 feet in height, whichever is less, shall be provided with automatic fire sprinkler protection.

(2) New buildings or structures designated as *Group R Division 3, M Division 1 and* M Division 3 Occupanc[y] *ies,* are exempted from the sprinkler system requirements of paragraph (h)(1)

(3) No other exceptions to the requirements of paragraph (h)(1) will be permitted except by

majority vote of the Douglas County Board of [Commissioners] *Appeals*. In instances where those buildings or structures are exempted from the requirements of paragraph one by affirmative vote of the Douglas County Board of [Commissioners] *Appeals*, said buildings or structures must be equipped with an [alternative extinguishing system of a tested and approved design, installed in conformance with the requirements of the current fire codes.] *acceptable alternate method of providing fire protection.*

(4) Installation, inspection, maintenance and testing of sprinkler systems or any alternative extinguishing system approved pursuant to paragraph 3 shall meet the [standards] *requirements as set forth in the current edition* of the National Fire Protection Association, Section 13.

(5) Total building area is defined for the purpose of this section as the total [square footage of a building or structure, regardless of the type of separation wall used.] *floor area in square feet for all floor levels within the exterior walls, or under the horizontal projection of the roof of a building. Each portion of a building separated by one or more four-hour area separation walls with no openings and provided with a 30-inch parapet constructed in accordance with the Building Code may be considered as separate buildings for the purpose of determining total building area.*

SECTION II: This ordinance shall be in full force and effect from and after the 27th day of April , 1989.

PROPOSED on the 16th day of April , 1989.

PROPOSED BY Commissioner Barbara J. Cook

PASSED on the 6th day of April , 1989.

VOTE: AYES Commissioners David Pumphrey
Barbara Cook
Bruce Kanoff
Robert Pruett

NAYS Commissioners _____

_____

_____

ABSENT Commissioners _____

/s/ Michael E. Fischer
MICHAEL E. FISCHER,
Chairman
Douglas County Board of
County Commissioners

ATTEST:

/s/ Barbara J. Reed
BARBARA J. REED, Clerk

Case No. 14399

Dept. No. 1

IN THE NINTH JUDICIAL DISTRICT COURT OF THE STATE OF NEVADA

IN AND FOR THE COUNTY OF DOUGLAS

DOUGLAS COUNTY, NEVADA, a political subdivision of the State of Nevada,

Plaintiff,

vs.

HENRY SCHWARZER, and ESTHER SCHWARZER, and ESTHER SCHWARZER,

Defendants.

ORDER

(Filed Feb. 20, 1990)

In December 1983 DOUGLAS COUNTY (hereafter referred to as COUNTY) filed a Complaint seeking a permanent injunction enjoining the occupancy of the SCHWARZER building located at 1095 Airport Road, Minden, Nevada, or in the alternative, an order issued to force the Defendant to comply with the law in regard to the building in question, and attorney's fees.

Since that time various hearings and trials have been held and several orders entered and mandating that the Defendants bring the building into compliance with the building codes, fire codes, and the Special Use Permit issued for the Defendants' building. This case has an extremely tortured history. The Defendants could have been spared many problems had the COUNTY clearly

spelled out exactly what was required to bring the building into compliance with existing codes. Unfortunately, no one ever clearly informed the Defendants of the exact requirements necessary to comply with the codes and Special Use Permit.

Then, apparently while settlement negotiations took place, the case had no pleadings filed since February 20, 1987. Since the case was inactive, on November 20, 1989, the Court ordered the parties to appear on January 2, 1990, to show cause why the case should not be dismissed.

On January 2, 1990, it was the Court's perception that the COUNTY had not been diligent in completing the case. Therefore, the Court scheduled a hearing to determine whether the building in question was in compliance with *current* building and fire codes, and if so, then, the SCHWARZERs would potentially be relieved of the requirement to comply with past court orders.

At the January 2, 1990, hearing, DOUGLAS COUNTY opposed the dismissal of the action and the Defendants sought an evidentiary hearing on the matter. Since no one could testify as to whether the building was in compliance with exiting codes, evidentiary hearings were held on February 6 and 7, 1990, to determine compliance. Testimony and evidence were received at these hearings. There was testimony on whether the parapet walls were in compliance with the current codes. They were not. The testimony was that the walls were not four (4) hour fire walls as required by the codes. Therefore, even without the provisions of the special use permit, the sprinkler system is required to be hooked up and functional.

Previously decided issues were not relitigated. The Court however, reviewed the file, the pleadings, and transcripts. This Order merely reaffirms the appropriate previously entered Court Orders.

The Court makes the following findings:

1. The building located at 1095 Airport Road, Minden, Nevada, has over 13,000 square feet and parts of this building have been occupied since 1978.

2. No Certificate of Occupancy has been issued by the Public Works Department.

3. When the original building permit was issued to the SCHWARZERs in 1967 HENRY SCHWARZER signed the permit agreeing to comply with all applicable rules, ordinances and laws.

4. When the next building permit was issued on August 16, 1978, ESTHER SCHWARZER signed the building permit agreeing to comply with all applicable rules, ordinances and laws.

5. The building which is apparently owned by ESTHER SCHWARZER is not in compliance with:

a) existing building and fire codes,

b) the Special Use Permit issued April 7, 1977.

6. According to the Special Use Permit the sprinkling system must be approved by the Douglas County Fire Chief and ISO (Insurance Services Office).

7. On February 3, 1983, the Board of County Commissioners refused to waive the sprinkler system requirement because of the distance from the building to the fire

department; the volunteer nature of the fire department; and the size and the proposed use of the building. The Commissioners believed the sprinkler system requirement was necessary to protect life and property in the building and surrounding areas.

8. The square footage in each unit is immaterial because the Special Use Permit requires a sprinkling system in the building that is operational and hooked up to an adequate, functional water source.

9. Sprinkler systems must be hooked up to an adequate, functional water system for occupant safety and because the presence of the system is deceptive to underwriters, insurance companies, and occupants.

10. The sprinkler system and hook up must include a back flow prevention device which is acceptable to the COUNTY, to protect the overall water system.

11. The SCHWARZERs are to pay for the actual hook up to the existing water system and the back flow prevention device.

12. The SCHWARZERS have paid a $2,000 hook up fee to the COUNTY.

13. Equity requires that William Tomerlin be reimbursed $8,113.07, which is one-half (1/2) of the costs of installing the water main in front of the SCHWARZER property. Likewise, had the SCHWARZERs installed the water main in front of their property and had Mr. Tomerlin hooked on to the main, the SCHWARZERs would have been entitled to one-half (1/2) of their installation costs.

14. The COUNTY Fire Chief and Engineer are to inspect within five (5) days of completion all work on the sprinkler system and hook up for compliance with all current Douglas County fire codes. A Certificate of Occupancy must be issued by the Public Works Department upon finding the building in compliance.

15. On November 15, 1985, SCHWARZER posted a $5,000 bond as a condition for staying the Order for Contempt entered on July 11, 1985.

CONCLUSIONS

1. ESTHER SCHWARZER was joined as a party by Court Order November 7, 1985, because she is the apparent sole owner of the property on which the building in dispute is located.

2. The previous Court Orders requiring the installation and hook up of the sprinkler system within sixty (60) days of entry of the Order are reaffirmed, except that the order to extend the water main to the SCHWARZER property is now moot because Mr. Tomerlin installed the water main in front of the SCHWARZER property.

3. The Court Order dated December 12, 1985, is in effect. This Order requires that should the Defendant's convey or assign their interest in the property in dispute to another party, the Defendants must give actual notice to such party of the contents of the Court Order mandating the installation of the sprinkler system which is to be hooked up and functional. Further, this Court Order bound all assignees, grantees, agents, licensees and employees of the Defendants to the original Court Order

of November 29, 1984, requiring a functional sprinkler system.

4. The Court Order dated April 7, 1986, is still in effect. This Order requires that: -

a) the sprinkler system comply with the requirements of National Fire Protection Association Pamphlet 13, and,

b) the sprinkler system be approved by the State Fire Marshall, the East Fork District Fire Marshall, and the Douglas County Public Works Department.

5. The Special Use Permit requires a sprinkler system in the building in question.

6. The "Schedule of Rates, Tolls, Charges, Liens, Deposits, Penalties, Connections, and Disconnections and Rules and Regulations for Service of Property from the Facilities of the: Airport Water System, Ridgeview Water System, Sierra Shadows Water System, and Mountain View Water System, that was prepared by the Douglas County Public Works Department, Utility Division and which was adopted January 18, 1990, is not applicable to the case at the bar.

IT IS THEREFORE HEREBY ORDERED AS FOLLOWS:

1. The SCHWARZERs are to hook up to the water main in front of their property at 1095 Airport Road, Minden, Nevada, a sprinkler system in the building located at said address. The sprinkler system is to be functional and operational and include a back flow prevention device. The sprinkler system must be hooked up

in the presence of the Douglas County Public Works Department Engineer and be operational within sixty (60) days of entry of this Order.

2. The SCHWARZERs are to pay all costs of the sprinkler system hook up and back flow prevention device.

3. The SCHWARZERs are to pay Tomerlin $8,113.07 for one-half (1/2) the cost of the installation of the water main. Payment is due prior to the hook up.

4. Inspections and approval of the sprinkler system are to be completed by the State Fire Marshall, the East Fork Fire District Marshall, and the Douglas County Public Works Department.

5. Upon all approvals, DOUGLAS COUNTY shall issue a Certificate of Occupancy for the building in question.

6. The Court will entertain a motion for reasonable attorneys' fees, if submitted, from DOUGLAS COUNTY.

Dated this 20 day of February , 1990.

/s/ David R. Gamble
DAVID R. GAMBLE
District Judge

Copies served by mail this 20th day of February , 1990, to: George Abbott, Esq., P.O. Box 98, Minden, NV 89423; Robert Story, Esq., Deputy District Attorney, P. O. Box 218, Minden, NV 89423.

/s/ Ursula K. McManus
Ursula K. McManus

Case No. 14399

Dept. No. I

IN THE NINTH JUDICIAL DISTRICT COURT
OF THE STATE OF NEVADA

IN AND FOR THE COUNTY OF DOUGLAS

DOUGLAS COUNTY, NEVADA, a political subdivision of the State of Nevada,

Plaintiff,

vs.

HENRY SCHWARZER and ESTHER SCHWARZER,

Defendants.

NOTICE OF APPEAL

(Filed JUL 3 '90)

Notice is hereby given that HENRY SCHWARZER and ESTHER SCHWARZER, defendants in these proceedings, appeal to the Supreme Court of Nevada from the findings, conclusions and order of the trial court entered February 20, 1990, and appeal from the Order of June 13, 1990, denying defendants' motion to amend, or in the alternative, for a new trial, and granting plaintiff's motion to strike.

HENRY SCHWARZER and
ESTHER SCWARZER (sic),
Defendants-appellants

By George W. Abbott
George W. Abbott
Their Attorney
P.O. Box 98
Minden, Nevada 89423
(702) 782-2302;
782-2300

Certificate of Service by Mail

I certify that I am an employee of George W. Abbott, and that on July 3, 1990, I deposited for mailing at Minden, Nevada, a true copy of the within Notice of Appeal, addressed to

Brent Kolvet, Esq.
Douglas County District Attorney
P.O. Box 218
Minden, Nevada 89423

/s/ Mary Abbott
Mary Abbott

Case No. 14399

Dept. No. I

IN THE NINTH JUDICIAL DISTRICT COURT
OF THE STATE OF NEVADA

IN AND FOR THE COUNTY OF DOUGLAS

DOUGLAS COUNTY, NEVADA, a political subdivision of the State of Nevada,

Plaintiff,

vs.

HENRY SCHWARZER and ESTHER SCHWARZER,

Defendants.

ORDER

(Filed OCT 19 '90)

THE COURT reviewed the document recently served (but not filed), which is attached hereto as Exhibit A. Based upon the comments of counsel contained in that document, including various false statements concerning this Court and the record in this case which would constitute clear violations of NRCP Rule 11 had the document been filed, the undersigned District Judge hereby voluntarily disqualifies himself in order to avoid the appearance of unfair treatment of the Schwarzers as a result of their attorney's actions. NRS 1.230 (3).

IT IS REQUESTED that the Supreme Court assign a visiting Judge to hear any and all further matters that may come before the Court in the above-entitled action.

The hearing presently scheduled for October 22, 1990, at 3:00 p.m. is hereby vacated and shall be reset by the District Judge assigned by the Supreme Court.

DATED this 19 day of October, 1990.

/s/ David R. Gamble
DAVID R. GAMBLE
DISTRICT JUDGE

Copies served by mail this 19th day of October, 1990 to: George Abbott, Esq., P. O. Box 98, Minden, NV 89423; Brent Kolvet, Esq., Douglas County District Attorney, P. O. Box 218, Minden, NV 89423.

/s/ Ursula K. McManus
Ursula K. McManus

"EXHIBIT A"

IN THE NINTH JUDICIAL DISTRICT COURT
OF THE STATE OF NEVADA

IN AND FOR THE COUNTY OF DOUGLAS

COUNTY OF DOUGLAS,
Plaintiff,
vs.
HENRY W. SCHWARZER,
Defendant.
_____/

MOTION OF DEFENDANT FOR ORDER TO SHOW CAUSE WHY BRENT KOLVET SHOULD NOT BE HELD IN CONTEMPT OF COURT

(Disobedience of Subpoena)

Defendants, by and through their undersigned attorney:

1. Move the Court for an order setting down for hearing on or before October 30, 1990, for the purpose of affording Brent Kolvet an opportunity to show cause why he should not be held in contempt of court for his failure and refusal to obey a Subpoena Duces Tecum issued out of this Court on January 5, 1990, served on Mr. Kolvet on January 7, 1990, and commanding him to appear on January 8, 1990 at the Court Room of the Ninth Judicial District Court to testify on pending contempt charges brought by Douglas County against Henry Schwarzer, defendant herein.

2. Move this Court, pursuant to NJDCR Rule 8 and related DCR and NRCP rules to shorten time for hearing on this motion, so as to provide for a hearing on or before October 30, 1990, so as to permit prosecution of the pending appeal of Schwarzers to the Supreme Court of the State of Nevada. A prompt setting of this more than eight-month old contempt matter, Defendant Schwarzer has urged upon his legal counsel, will also avoid the possible suggestion that the Ninth Judicial District Court is timing a "District Attorney Kolvet contempt of court" hearing to come *after* the November 6, 1990 general election in which Mr. Kolvet is a candidate for reelection, rather than clearing the calendar on this old matter as promised on several occasions by the Court. [Note: the Schwarzers' legal counsel has been made aware, of course, that District Attorney Kolvet and District Judge Gamble are in agreement that setting of a pending murder trial *before* the election will go forward in the face of Public Defender claims that a sensational murder trial

immediately in advance of the November 6, 1990 general election will enhance Kolvet election chances. Mr. Schwarzer, for himself and his wife, have asked Judge Gamble by letter to "squeeze in" the Kolvet contempt matter before October 30, 1990 so the Schwarzers can make complete their representations to the Supreme Court on their appeal, including assertions of judicial misconduct (bias, etc.) in the Schwarzer trial as well as misconduct by the district attorney's office (withholding available evidence, refusal of District Attorney Kolvet to appear as a witness under subpoena, volunteered assistance by the district judge to the prosecution, etc.). Personal service of this motion will be made before filing.

3. These motions are made upon all of the pleadings and papers in these proceedings, are made upon the applicable substantive and procedural rules, upon the annexed affidavits of Henry Schwarzer and of George Abbott, as well as upon the annexed points and authorities.

3. These motions are made upon other authorities known to the Court, or charged as being within the knowledge of the Court, and bearing on the assertions in an appeal to the Nevada Supreme Court that (a) the trial judge was biased in favor of the charging plaintiff Douglas County and repeatedly involved himself personally – through questions, rulings, and obvious overlooking of Douglas County and prosecutorial misconduct – as an advocate for the prosecuting plaintiff, as an advocate against defendants Schwarzer and their counsel, and particularly through consistently cloaking a subpoena-defying District Attorney with suggestive comments pointed toward excusing his misconduct (e.g., when served with

the subpoena, according to unchallenged testimony, District Attorney Kolvet replied "I will not be there", and in the proceedings from which Kolvet absented himself Chief Deputy District Attorney Story announced at the outset – also without any expression of concern from Judge Gamble – "Mr. Kolvet will not be here today." And, as examples of other Gamble example of a paternalistic attitude toward Douglas County's chief prosecutor (and chief tormentor of Henry and Esther Schwarzer), reference is made to the partial transcript aspects set out in points and authorities, and to the affidavits of Defendant Schwarzer and his counsel, George Abbott; and that (b) the trial Proceedings disclosed a marked tendency for the Court wholly to overlook claims by Schwarzer that the prosecution and the County witnesses actually or constructively withheld and concealed county records readily available to them, when those records would have shown that Defendant Henry Schwarzer had not, and was not at the dates of the January and February 1990 hearings, in violation of either Douglas County or the State Fire Marshal regulations and ordinances affecting fire control and fire prevention building-code related rules.

4. Additional civil procedural provisions and statutory provisions deemed applicable in this case, known or chargeably known to the Court, and affecting the Court-bias, Kolvet-contempt matters, include these:

(a) NRCP Rule 45(e) and Rule 45(f) providing for issuance of subpoena for a hearing or trial and for contempt for disobedience.

(b) NRS sec. 50.165, establishing in mandatory language the duty of a duly served witness *to appear* "with any papers under his control required by the subpoena" and " . . . *to remain* till the testimony is closed."

(c) NRS 50.195, setting out penalties for disobedience – as in (Kolvet) "I will not be there", and as in (Story) "He will not be here".

(d) Finally in this vein, a revealing intrusion from the bench (Tr. January 8, 1990 from line 2, p. 49 through line 6, p. 49):

* * *

THE COURT: Mr. Finn, did you have a check with you for Mr. Kolvet?

THE WITNESS: No, sir, but I had cash in my pocket.

THE COURT: And how much would is [sic] witness fees have been?

* * *

Presiding Judge Gamble, defendant-layman Schwarzer suggests, surely knew, or is charged as a district judge with knowing that a twenty-year-old Nevada statute, NRS sec. 50.255 provides as follows:

* * *

> 50.255 Attorney not allowed fee as witness.
>
> No attorney or counselor at law, *in any case*, shall be allowed any fees for attending as a witness in such case.

* * *

Diversionary arguments regarding the right of a *party* to the proceedings to demand witness fees are mooted or subordinated by application, Schwarzer suggests by this clear, mandatory provision – overlooked somehow by the presiding trial judge, not revealed by either of the prosecutors, Kolvet and Story, as set out in NRS sec. 50.255. A proposed order is tendered hereby.

Done this 12th day of October, 1990.

/s/ George W. Abbott
George W. Abbott
1095 Airport Road
P.O. Box 98
Minden, NV 89423
(702) 782-2300

Attorney for Defendants

AFFIDAVIT

STATE OF NEVADA)
: ss.
COUNTY OF DOUGLAS)

HENRY W. SCHWARZER, being first duly sworn, under penalty of perjury, deposes and says that:

1. I am one of the defendants in these proceedings.

2. Before the trial in January, I had asked Mr. Abbott to have the District Attorney, Brent Kolvet, appear as a witness if this could be done. Mr. Abbott agreed with me

that it would be most effective if Mr. Kolvet appeared as a first witness so that he would not be prompted in any way by the testimony of witnesses who follow.

3. I told Mr. Abbott that I did not know under what ordinances Esther and I had been charged, and asked him if he could get a subpoena which would ask Mr. Kolvet to bring documents upon which the County had relied to charge Esther and myself.

4. I was in the courtroom on January 8 when Mr. Finn testified that he had served the subpoena upon Mr. Kolvet; that Mr. Kolvet had said, "I will not be there." On January 8 he was not there.

5. At the January 8 hearing Judge Gamble said, "At the same time the other hearing is heard I will hear cause why Mr. Kolvet did not appear in response to the subpoena this morning, if in fact that is the case." That is on page 53 of the transcript of that hearing.

6. On February 7, 1990 after a two-day hearing, the court again said, "I am going to set an additional hearing for you to address the Kolvet issue. I can't do it now because of the calendar, and we will address that later." Today is eight (8) months later.

7. I do not understand why more than 8 months have passed without Mr. Kolvet's contempt matter being heard. I have a copy of Mr. Abbott's letter to Judge Gamble dated October 11, 1990, in which he requested a setting before October 22 so that we can tell the Supreme Court how the Kolvet contempt matter was handled by Judge Gamble.

8. Since Mr. Kolvet is down the hall in the same building and the contempt matter should take less than an hour, I hope this can be set before October 22.

9. I hope that the court will not be influenced in any way in making its decision about the Kolvet contempt matter by the fact that Mr. Kolvet is a candidate for re-election to the office of District Attorney. If Mr. Kolvet did not do anything wrong it will not hurt him when people vote in November. If Mr. Kolvet, who is a public official, did something wrong, then shouldn't the voters know that too?

10. In January of 1990, the Douglas County District Attorney's office opposed dismissal of charges against Esther and myself. The deputy district attorney asked the court to hold us in contempt, asked that the court give us "jail time", asked that our tenants be evicted and the building "locked up," and asked that we be required to forfeit the $5000 ($7,000 with interest) cash bond deposit we gave the county.

/s/ Henry W. Schwarzer
Henry W. Schwarzer

Subscribed and sworn to before
me this 12th day of October, 1990.

/s/ Mary Abbott
Notary Public

AFFIDAVIT

STATE OF NEVADA)
: ss.
COUNTY OF DOUGLAS)

GEORGE W. ABBOTT, being first duly sworn, under penalty of perjury, deposes and says that:

1. I am the attorney of record in these proceedings for Henry W. Schwarzer and for Esther Schwarzer, his wife. I have been so employed since November of 1989 in the matter of Douglas County, Plaintiff vs. Henry Schwarzer, Defendant, being Case No. 14399 in the Ninth Judicial District Court of the State of Nevada in and for the County of Douglas.

2. Pleading and hearing proceedings were had in this matter in December, 1989, on January 8, 1990 and on February 6 and 7, 1990.

3. On January 8, 1990 – as reflected in other papers and pleadings – the Court (District Judge David Gamble) was advised, and proofs were adduced without challenge, that the Douglas County District Attorney Brent Kolvet was duly served on January 7, 1990 with a subpoena duces tecum to appear *at the Court Room* of this court at 9 a.m. on January 8, 1990 with requested documents relating to Douglas County's charges against Henry Schwarzer (and his wife). Testimony before the Court (Judge David Gamble) by the process server (George Finn) was unchallenged: the district attorney was served on Sunday afternoon-evening of January 7, 1990; district attorney Kolvet *at the time of service* announced "I will not be there". At the proceedings had on Monday,

January 8, 1990 – as other papers filed with this motion make clear – Chief Deputy District Attorney Robert Story (without any reaction from the bench discernible on the record) announced flatly that: "Mr. Kolvet will not be here today". (Tr. 1/8/90 p. 12, line 14).

4. The court – as elsewhere documented – assured all of the parties that the matter of Kolvet failure to appear would be dealt with in subsequent hearings, or upon a show cause hearing.

5. No one seriously disputed that: (a) Kolvet was duly and properly summoned *to appear at 9 a.m. as a first witness* on January 8, 1990 *in the Court Room* of Judge Gamble.

(b) the *only* evidence before Judge Gamble established that Kolvet had told the process server "I will not be there", echoed the next day by the Deputy Story declamation that "Mr. Kolvet will not be here today."

(c) Judge Gamble – quoted in the local press in another non-appearance matter as saying "I do not care why he is not here. He is not here. He should be. And that is that." (Judge Gamble's office had been informed that the absent counsel – affiant here – was grounded by weather at Washington D.C. National Airport, 2800 miles away, the judge neglecting to announce to the press and courtroom attendees that the judge had, pre-hearing, been advised of counsel's inablity [sic] to attend.)

(d) Judge Gamble – on the undisputed evidence before him regarding the Kolvet refusal to appear, the Kolvet knowing disobedience of a Ninth Judicial District

Court subpoena, all as evidence by the other papers before the Court, did not act.

(e) Most puzzlingly to this affiant, or to anyone reading the record in these proceedings, Judge David Gamble at the

---

IN THE SUPREME COURT OF THE STATE OF NEVADA

HENRY SCHWARZER, Appellant, vs. DOUGLAS COUNTY, NEVADA, a political subdivision of the State of Nevada, Respondent.	No. 21352 (Filed Jun. 27, 1991)

ORDER DISMISSING APPEAL

This is an appeal from an order of the district court ordering that appellant comply with respondent's fire sprinkler ordinance and reimburse a neighboring property owner for costs incurred in extending the county water main.

In April 1977, appellant Henry Schwarzer sought a special use permit from the Douglas County Board of Adjustments to construct an industrial building. The Board granted the permit on condition that Schwarzer install a sprinkler system subject to the approval of the Douglas County Fire Chief. Appellant constructed his building without a sprinkler system. The County refused to issue an occupancy permit until the sprinklers were installed.

In 1983, appellant requested that the Board of Adjustments exempt him from the sprinkler requirement. The Board refused and appellant filed an action in the district

court. The court gave appellant sixty days to comply with the sprinkler requirement. Appellant refused to comply. In July 1985, Mr. Schwarzer was found in contempt of court and an Order and Warrant of Commitment was issued. Rather than comply with this Order, appellant transferred title to the building to his wife as her sole and separate property. The court then ordered that Mrs. Schwarzer be joined and that her husband continue to be bound by all orders. A trial on the merits was also ordered.

After trial in November 1985, the court found that: "There is a danger of loss of life and property due to occupancy of the defendant's building without the required sprinkler system." The matter was continued to give appellants time to install the sprinkler system. When appellant continued to refuse to install the sprinkler system, the court issued a permanent mandatory injunction ordering him to do so. When appellant failed to comply with the injunction, the court held him in contempt and ordered the building closed.

After being found in contempt, appellant installed the sprinkler system. During this same period, William Tomerlin, a neighbor of appellant's, extended the water main along the front of appellant's property to service another development. The cost of extending the main to the point where appellant needed to connect the sprinkler system was $16,226. Appellant refused to reimburse Tomerlin for one-half the cost of the water main extension.

The district court held a status hearing on the case in January 1990. Appellant took the position that a newly-

enacted Douglas County ordinance obviated the need to comply with the court's earlier orders. The court disagreed, finding that the building was subject to both the sprinkler ordinance and the terms of the special use permit. It is from this third ruling of the district court that appellant now appeals.

We will not disturb a trial court's factual finding unless such finding was clearly erroneous or not based on substantial evidence. Stickelman v. Moroni, 97 Nev. 405, 407, 632 P.2d 1159, 1161 (1981). We believe the district court correctly determined that appellant was required to install sprinklers under the Douglas County fire sprinkler ordinance and under the terms of the special use permit. We also believe the court correctly determined that appellant was equitably required to reimburse his neighbor for one-half the cost of extending the water main, particularly where the neighbor's costs were incurred after appellant was held in contempt for not extending the water main himself. Accordingly, we hereby

ORDER this appeal dismissed.

/s/ Mowbray, C.J.
Mowbray

/s/ Springer, J.
Springer

/s/ Rose, J.
Rose

/s/ Steffen, J.
Steffen

/s/ Young, J.
Young

cc: Honorable David R. Gamble, District Judge
Honorable Scott Doyle
George W. Abbott
Barbara Reed, Clerk

IN THE SUPREME COURT OF THE STATE OF NEVADA

HENRY SCHWARZER, Appellant, vs. DOUGLAS COUNTY, NEVADA, a political subdivision of the State of Nevada, Respondent.	No. 21352 (Filed Nov. 5, 1991)

ORDER DENYING REHEARING

Rehearing denied. NRAP 40(c).

It is so ORDERED.

/s/ Mowbray, C.J.
Mowbray

/s/ Rose, J.
Rose

/s/ Young, J.
Young

cc: Hon. David R. Gamble, District Judge
Hon. Scott Doyle, District Attorney
George W. Abbott
Barbara Reed, Clerk

Steffen, J., with whom Springer, J., joins in dissenting:

In our rush to do equity, this court overlooked fundamental, black letter law: a court is without jurisdiction to enter judgment either for or against a non-party to an action. *See*, Quine v. Godwin, 646 P.2d 294, 298 (Ariz. App. 1982); 49 C.J.S. *Judgments* § 28. In agreeing with the foregoing "elementary common law principle," the court in Fazzi v. Peters, 440 P.2d 242 (Cal. 1968), noted that " '[i]t is the general rule that a judgment may not be entered either for or against a person who is not a party to the proceeding, and any judgment which does so is void to that extent.' " *Id.* at 245 (quoting In re Wren, 308 P.2d 329, 331 (Cal. 1957)).

I am unaware of any lawful principle that would support the district court's judgment ordering Schwarzer to pay his neighbor, William Tomerlin, a non-party to the action, the sum of $8,113 (one-half the cost of the water main extension). We were simply wrong in affirming a judgment that by all means is void insofar as it grants relief to a non-party. Of course, the district court could have entered a judgment allowing the respondent Douglas County to surcharge Schwarzer's water usage until his share of the water main extension was paid. The county could then, without court involvement, correspondingly adjust Tomerlin's water charges downward to achieve equity.

Despite the majority's desire, which I share, to reach a simplified end to this litigation in the name of equity, I do not consider the majority's willingness to validate a clear nullity an acceptable option. Although I initially subscribed to the expedient now maintained by the majority when I signed our original order dismissing appeal. I have since concluded that such a resolution,

however equitable, may not be countenanced under any legal principle. I therefore conclude that we should grant rehearing and remand the matter to the district court for entry of a lawful judgment.

/s/ Steffen, J.
Steffen

I concur:

/s/ Springer, J.
Springer